

our safety data sheet for...

Foaming Grill & Oven Cleaner



DELPHIS*
*eco PROFESSIONAL CLEANING

1. Identification of the substance/mixture & of the company/undertaking

1.1 Product Identifier

Product Name: Foaming Grill and Oven Cleaner
Product Code: FGC020 (ready-to-use)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended restrictions on use: We do not have information on restrictions. They will be included when available.

1.3 Details of the supplier of the safety data sheet

Company: Delphis Eco, Sustainable Workspaces, 25 Lavington Street, London SE1 0NZ

1.4 Emergency telephone number

Emergency phone number: t. 0203 397 0096 (office hours only) e: sales@delphiseco.com

2. Hazards Identification

2.1 Classification of the substance or mixture

Classification under CLP: Skin Corr. 1A: H314
Most important adverse effects: Causes severe skin burns and eye damage.

2.2 Label elements

Label elements under CLP:

Hazard statements: H314: Causes severe skin burns and eye damage.
Signal words: Danger
Hazard pictograms: GHS05: Corrosion
Precautionary statements: P260: Do not breathe spray.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310: Immediately call a POISON CENTER/doctor/first aid.



2.3 Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

3. Composition/Information on Ingredients

3.2 Mixtures

Ingredient Name	EINECS	CAS	CLP Classification	Percent
SODIUM HYDROXIDE	215-185-5	1310-73-2	Skin Corr. 1A: H314	10-30%
ALKYL POLY GLYCOSIDE C8-C10	500-220-1	68515-73-1	Eye Dam. 1: H318	1-10%
AMINES, C12-14 (EVEN NUMBERED) -ALKYLDIMETHYL, N-OXIDES	931-292-6	308062-28-4	Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 2: H411; Eye Dam. 1: H318; Skin Irrit. 2: H315	<1%

4. First Aid Measures

4.1 Description of first aid measures

Eye contact: Avoid contact with eyes, if product gets into eyes, rinse with water.
Skin contact: Avoid contact with skin, if product gets onto skin wash with water and remove contaminated clothing.
Ingestion: Do not drink, if swallowed drinking water may be beneficial, do not induce vomiting.
Inhalation: Avoid inhaling product, move to fresh air if in discomfort.

4.2 Most important symptoms and effects, both acute and delayed

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.
Eye contact: There may be severe pain. Corneal burns may occur. May cause permanent damage.
Ingestion: Corrosive burns may appear around the lips. Nausea and stomach pain may occur. There may be vomiting and diarrhoea.
Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.
Delayed effects: Immediate effects can be expected after short-term exposure.



Product name: Foaming Grill and Oven Cleaner
Product code: FGC020
Page: 2 of 5

4.3 Indication of immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

5. Fire Fighting Measures

5.1 Extinguishing Media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

5.2 Special hazards arising from the substance or mixture

Exposure hazards: Corrosive. In combustion emits toxic fumes.

5.3 Advice for fire fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2 Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3 Methods and materials for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4 Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

7. Handling and Storage

7.1 Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Avoid the formation or spread of mists in the air.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3 Specific end uses

Specific end use(s): No data available.

8. Exposure Controls/Personal Protection

8.1 Control parameters

Hazardous ingredients:
SODIUM HYDROXIDE

Workplace exposure limits:

State	8 hour TWA	Respirable dust	15 min. STEL	8 hour TWA	15 min. STEL
UK	-	2 mg/m ³	-	-	-

DNEL / PNEC Values: No data available.

8.2 Exposure controls

Engineering measures:	Ensure there is sufficient ventilation of the area.
Respiratory protection:	Not normally required. However, inhalation of vapour or spray should be avoided.
Hand protection:	Wear protective gloves.
Eye protection:	Wear safety glasses with side-shields.
Skin protection:	Wear protective clothing.



Product name: Foaming Grill and Oven Cleaner
Product code: FGC020
Page: 3 of 5

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

State: Liquid
 Colour: Yellow-brown
 Odour: Characteristic odour
 Evaporation rate: Slow
 Oxidising: Not applicable.
 Solubility in water: Soluble
 Viscosity: Non-viscous
 Boiling point/range°C: 100
 Relative density: 1.200 typical
 Melting point/range°C: 0
 pH: 14.0

9.2 Other Information

Other information: No data available.

10. Stability and Reactivity

10.1 Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2 Chemical Stability

Chemical stability: Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.

10.4 Conditions to Avoid

Conditions to avoid: Heat. Hot surfaces.

10.5 Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6 Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

11. Toxicological Information

11.1 Information on toxicological effects

Hazardous ingredients:

SODIUM HYDROXIDE

IPR	MUS	LD50	40 mg/kg
ORL	RBT	LDLO	500 mg/kg

ALKYL POLY GLYCOSIDE C8-C10

DERMAL	RAT	LD50	>2000 mg/kg
ORAL	RAT	LD50	>2000 mg/kg

AMINES, C12-14 (EVEN NUMBERED)-ALKYLDIMETHYL, N-OXIDES

DERMAL	RAT	LD50	>2000 mg/kg
ORAL	RAT	LD50	1064 mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.
 Eye contact: There may be severe pain. Corneal burns may occur. May cause permanent damage.
 Ingestion: Corrosive burns may appear around the lips. Nausea and stomach pain may occur. There may be vomiting and diarrhoea.
 Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.
 Delayed effects: Immediate effects can be expected after short-term exposure.



Product name: Foaming Grill and Oven Cleaner
Product code: FGC020
Page: 4 of 5

12. Ecological Information

12.1 Toxicity

Hazardous ingredients:

ALKYL POLY GLYCOSIDE C8-C10

DAPHNIA 48H EC50 >100 mg/l

AMINES, C12-14 (EVEN NUMBERED)-ALKYLDIMETHYL, N-OXIDES

ALGAE 72H ErC50 0.14 mg/l

DAPHNIA 48H EC50 3.1 mg/l

FISH 96H LC50 2.67-3.46 mg/l

12.2 Persistence and Degradability

Persistence and degradability: The surfactant(s) contained in this preparation complies (comply) with the Biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents, (or are undergoing testing to obtain a derogation within the terms of the directive). Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3 Bio-accumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4 Mobility in soil

Mobility: Soluble in water. Readily absorbed into soil.

12.5 Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6 Other adverse effects

Other adverse effects: Negligible ecotoxicity.

13. Disposal Recommendations

13.1 Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.
NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. Transport Information

14.1 UN number

UN number: UN1719

14.2. UN proper shipping name

Shipping name: CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE)

14.3. Transport hazard class(es)

Transport class: 8

14.4. Packing group

Packing group: II

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

14.6. Special precautions for user

Special precautions: Limited Quantity - 1 ltr / kg

Tunnel code: E

Transport category: 2

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2 Chemical safety assessment



Product name: Foaming Grill and Oven Cleaner
Product code: FGC020
Page: 5 of 5

16. Other Information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H302: Harmful if swallowed.
H314: Causes severe skin burns and eye damage.
H315: Causes skin irritation.
H318: Causes serious eye damage.
H400: Very toxic to aquatic life.
H411: Toxic to aquatic life with long lasting effects.

Training Advice: Normal use of this product shall imply use in accordance with the instructions on the packaging. Users should be trained in good industrial hygiene practise. This data sheet does not constitute an assessment of the workplace risks as required under the provisions of the Health & Safety at Work act and the Control of Substances Hazardous to Health (COSHH). Do not mix with other chemicals.

Date: 25.07.19

Legal Disclaimer: The information supplied above is based upon the present state of our knowledge of the product at the time of publication. It is given in good faith and no warranty is implied with respect to the specification or quality of the product. The user must satisfy himself that the product is entirely suitable for his purpose.

Revision Number: 2.0