# SAFETY DATA SHEET



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

# Sapur freeze

Version : 2

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : Sapur freeze
Product code : 110874E

Product use : Carpet or Upholstery cleaner

Product is for professional use only

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** 

Carpet cleaner. Manual process

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer/ Distributor/ : Ecolab Ltd.

Importer David Murray John Building

UK-SN1 1NH Swindon, Wiltshire

England

Tel +44 (0)1793 511221 Fax +44 (0)1793 618552 CCS@ecolab.com

#### 1.4 Emergency telephone number

**National advisory body/Poison Centre** 

Telephone number : NOT AVAILABLE.

**Manufacturer/ Distributor/ Importer** 

Telephone number : 01793 511221

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Directive 1999/45/EC [DPD]

The product is classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification : F+; R12

Physical/chemical : Extremely flammable.

hazards

Human health hazards : Not applicable.Environmental hazards : Not applicable.

See Section 16 for the full text of the R phrases or H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

#### 2.2 Label elements

Hazard symbol or symbols :



Indication of danger : Extremely flammable

Risk phrases : R12- Extremely flammable.

Date of issue/Date of revision : 22 December 2010 1/10

#### **SECTION 2: Hazards identification**

Safety phrases

: S2- Keep out of the reach of children. S16- Keep away from sources of ignition - No smoking.

Supplemental label elements

: Pressurised container: protect from sunlight and do not expose to temperature exceeding 50°C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking. Keep out of the reach of children.

#### 2.3 Other hazards

Other hazards which do not result in classification

: Not applicable.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

			<u>Classification</u>		
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
% butadiene (203-450-	EC: 203-448-7 CAS: 106-97-8 Index: 601-004-01-8	50-75	F+; R12	Flam. Gas 1, H220 Press. Gas, H280 Muta. 1B, H340 Carc. 1A, H350	[2]
			See section 16 for the full text of the R- phrases declared above	See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

#### <u>Type</u>

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1207/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1207/2006, Annex XIII

#### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

**Eye contact** 

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

**Skin contact** 

: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

#### **SECTION 4: First aid measures**

#### Ingestion

: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### **Protection of first-aiders**

: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

#### 4.2 Most important symptoms and effects, both acute and delayed

#### Potential acute health effects

Eye contact
 Inhalation
 No known significant effects or critical hazards.
 Skin contact
 Ingestion
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

**Eye contact** : Adverse symptoms may include the following:

irritation redness

**Inhalation** : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact : No specific data.

Ingestion : No specific data.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

**Specific treatments**: No specific treatment.

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media

: None known.

#### 5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

Flammable aerosol. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Gas may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back, causing fire or explosion. Bursting aerosol containers may be propelled from a fire at high speed. Runoff to sewer may create fire or explosion hazard.

Hazardous combustion products

 Decomposition products may include the following materials: carbon dioxide

carbon monoxide

#### 5.3 Advice for firefighters

Date of issue/Date of revision : 22 December 2010 3/10

# **SECTION 5: Firefighting measures**

Special precautions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire-fighters

: Fire-fighters should wear proper protective equipment.

#### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. In the case of aerosols being ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant. If a large number of containers are ruptured, treat as a bulk material spillage according to the instructions in the clean-up section. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders:

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also Section 8 for additional information on hygiene measures.

6.2 Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### 6.3 Methods and materials for containment and cleaning up

Small spill:

: Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Use spark-proof tools and explosion-proof equipment.

Large spill

: Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Use spark-proof tools and explosion-proof equipment.

6.4 Reference to other sections

See Section 1 for emergency contact information.
 See Section 8 for information on appropriate personal protective equipment.
 See Section 13 for additional waste treatment information.

# **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 7.1 Precautions for safe handling

**Protective measures** 

Put on appropriate personal protective equipment (see Section 8). Pressurised container: protect from sunlight and do not expose to temperature exceeding 50°C. Do not pierce or burn, even after use. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Avoid breathing vapour or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use non-sparking tools. Empty containers retain product residue and can be hazardous.

# **SECTION 7: Handling and storage**

# Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

# 7.2 Conditions for safe storage, including any incompatibilities

: Do not store above the following temperature: 25°C (77°F). Store in accordance with local regulations. Store in a segregated and approved area. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Eliminate all ignition sources. Use appropriate containment to avoid environmental contamination.

#### 7.3 Specific end use(s)

Recommendations Industrial sector specific solutions Not applicable.Not applicable.

# **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 8.1 Control parameters

#### Occupational exposure limits

Product/ingredient name	Exposure limit values	
butane containing ≥ 0.1 % butadiene (203-450-8)	EH40/2005 WELs (United Kingdom (UK), 8/2007).  STEL: 1810 mg/m³ 15 minute(s).  STEL: 750 ppm 15 minute(s).  TWA: 1450 mg/m³ 8 hour(s).  TWA: 600 ppm 8 hour(s).	

# Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to European Standard EN 689 for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.

#### **Derived effect levels**

No DELs available.

#### **Predicted effect concentrations**

No PECs available.

#### 8.2 Exposure controls

Appropriate engineering controls

: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

#### **Individual protection measures**

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

# **SECTION 8: Exposure controls/personal protection**

Eye/face protection (EN 166)

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

#### **Skin protection**

Hand protection (EN 374)

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Body protection (EN 14605)

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection (EN 143, 14387)

: A respirator is not needed under normal and intended conditions of product use.

**Environmental exposure** controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

#### **Appearance**

Physical state : Liquid. [Aerosol.]

Colour : Colourless.

Odour : Faint odour.

Odour threshold : Not determined for the mixture.
 pH : 6.5 to 7.5 [Conc. (% w/w): 1%]
 Melting point/freezing point : Not determined for the mixture.
 Initial boiling point and boiling : Not determined for the mixture.

range

Flash point : -80 °C (Open cup) -80 °C (Closed cup)

Evaporation rate : Not determined for the mixture.

Flammability (solid, gas) : Not determined for the mixture.

Burning time : Not determined for the mixture.

Burning rate : Not determined for the mixture.

Upper/lower flammability or : Not determined for the mixture.

Upper/lower flammability or explosive limits

Vapour pressure : Not determined for the mixture.

Vapour density : Not determined for the mixture.

Relative density : 0.5 to 0.6

Solubility(ies) : Insoluble in the following materials: cold water and hot water.

Partition coefficient: n-octanol/water

: Not determined for the mixture.

: Not determined for the mixture.

Auto-ignition temperature
Decomposition temperature
Viscosity

Not determined for the mixture.Not determined for the mixture.

**Explosive properties** : Not applicable.

Oxidising properties : None.

#### 9.2 Other information

Date of issue/Date of revision : 22 December 2010 6/10

Sapur freeze

# **SECTION 9: Physical and chemical properties**

Type of aerosol : Spray

No additional information.

# SECTION 10: Stability and reactivity

10.1 Reactivity No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability : The product is stable.

10.3 Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : Avoid all possible sources of ignition (spark or flame).

10.5 Incompatible materials : No specific data.

10.6 Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

**Acute toxicity** 

**Conclusion/Summary** : Not determined for the mixture.

**Irritation/Corrosion** 

**Conclusion/Summary** : Not determined for the mixture.

Sensitiser

**Conclusion/Summary** : Not determined for the mixture.

**Mutagenicity** 

**Conclusion/Summary** : Not determined for the mixture.

**Carcinogenicity** 

Conclusion/Summary

Reproductive toxicity

**Conclusion/Summary** : Not determined for the mixture.

**Teratogenicity** 

: Not determined for the mixture. Conclusion/Summary Information on the likely : Not determined for the mixture. routes of exposure

Potential acute health effects

Inhalation : No known significant effects or critical hazards. Ingestion No known significant effects or critical hazards. **Skin contact** : No known significant effects or critical hazards. **Eve contact** : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation : Adverse symptoms may include the following:

respiratory tract irritation

: Not determined for the mixture.

coughing

Ingestion : No specific data. Skin contact No specific data.

Eye contact : Adverse symptoms may include the following:

> irritation redness

Delayed and immediate effects and also chronic effects from short and long term exposure

Date of issue/Date of revision : 22 December 2010 7/10

# **SECTION 11: Toxicological information**

Short term exposure

**Potential immediate** 

effects

: Not determined for the mixture.

**Potential delayed effects**: Not determined for the mixture.

**Long term exposure** 

Potential immediate : Not determined for the mixture.

effects

Potential delayed effects: Not determined for the mixture.

Potential chronic health effects

**Conclusion/Summary**: Not determined for the mixture.

General : No known significant effects or critical hazards.
 Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Teratogenicity : No known significant effects or critical hazards.
 Developmental effects : No known significant effects or critical hazards.
 Fertility effects : No known significant effects or critical hazards.

Other information : Not determined for the mixture.

# SECTION 12: Ecological information

12.1 Toxicity

**Conclusion/Summary**: Not determined for the mixture.

12.2 Persistence and degradability

**Conclusion/Summary**: Not determined for the mixture.

12.3 Bioaccumulative potential

**Conclusion/Summary**: Not determined for the mixture.

**12.4 Mobility in soil** 

Soil/water partition

coefficient (Koc)

: Not determined for the mixture.

**Mobility** : Not determined for the mixture.

12.5 Results of PBT and vPvB assessment

PBT : Not applicable.

vPvB : Not applicable.

**12.6 Other adverse effects** : No known significant effects or critical hazards.

# **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 13.1 Waste treatment methods

**Product** 

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Empty

containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any byproducts should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority

Date of issue/Date of revision : 22 December 2010 8/10

# **SECTION 13: Disposal considerations**

requirements. Do not puncture or incinerate container.

Hazardous waste : Yes. European waste catalogue (EWC)

Waste code	Waste designation	
16 05 04*	gases in pressure containers (including halons) containing dangerous substances	

#### **Packaging**

Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Special precautions** 

: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Do not puncture or incinerate container.

# **SECTION 14: Transport information**

	ADR/RID	ADN/ADNR	IMDG	IATA
14.1 UN number	UN1950	UN1950	UN1950	UN1950
14.2 UN proper shipping name	AEROSOLS	AEROSOLS	AEROSOLS	Aerosols, flammable
14.3 Transport hazard class(es)	2	2	2.1	2.1
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
14.6 Special precautions for user	None.	None.	None.	None.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

**Substances of very high concern** 

None of the components are listed.

on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

**Annex XVII - Restrictions** : Restricted to professional users.

**Other EU regulations** 

Date of issue/Date of revision : 22 December 2010

9/10

# SECTION 15: Regulatory information

Ingredient declaration according to detergent regulation 648/2004/EC:

Does not contain ingredients according to the detergent regulation 648/2004/EC.

Aerosol dispensers

3

100% by mass of the contents are flammable.

#### **National regulations**

The Chemicals (Hazard Information and Packaging for Supply) Regulations.

The Control of Substances Hazardous to Health Regulations.

Health and Safety at Work Act.

15.2 Chemical Safety

This product contains substances for which Chemical Safety Assessments are still

**Assessment** required.

### **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

**Abbreviations and** 

acronyms

: ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008]

DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

Full text of abbreviated H

statements

: H220 Extremely flammable gas.

H224 Extremely flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H340 May cause genetic defects.

H350 May cause cancer.

**Full text of classifications** 

[CLP/GHS]

: Carc. 1A, H350 CARCINOGENICITY - Category 1A Flam. Gas 1, H220 FLAMMABLE GASES - Category 1

Flam. Liq. 1, H224 FLAMMABLE LIQUIDS - Category 1
Muta. 1B, H340 GERM CELL MUTAGENICITY - Category 1B

Press. Gas Comp. Gas, GASES UNDER PRESSURE - Compressed gas

H280

Full text of abbreviated R

phrases

: R12- Extremely flammable.

**Full text of classifications** 

[DSD/DPD]

: F+ - Extremely flammable

Date of printing : 22 December 2010

000,0,0,

Date of issue/ Date of

: 12/22/2010.

revision

Date of previous issue : No previous validation.

Version : 2

#### **Notice to reader**

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.

Date of issue/Date of revision : 22 December 2010