

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : P&G Professional DEEPIO Original
Product code : PA00187808
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use
Function or use category : Washing and cleaning products (including solvent based products)

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Procter & Gamble UK Brooklands, Weybridge, Surrey, KT13 0XP, UK

Tel: 01932 896000 Fax: 01932 896200

Professional: customerservice@pgprof.com

Emergency telephone number

: (UK) Emergency Tel: 0800 328 8304(IREL) Emergency Tel: 1800 509 497

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Irrit. 2 H319

Full text of H-phrases: see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) : Warning
Hazard statements (CLP) : H319 - Causes serious eye irritation
Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand
P102 - Keep out of reach of children
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P260 - Do not breathe spray

2.3. Other hazards

Other hazards not contributing to the classification : No presence of PBT and vPvB ingredients.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

P&G Professional DEEPIO Original

Safety Data Sheet

according to Regulation (EC) No. 453/2010

3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Propylene Glycol Butyl Ether	(CAS No) 5131-66-8 (EC no) 225-878-4	1 - 5	Xi; R36/38	Skin Irrit. 2, H315 Eye Irrit. 2, H319
Ethanolamine	(CAS No) 141-43-5 (EC no) 205-483-3 (REACH-no) 01-2119486455-28	1 - 5	Xn; R20/21/22 C; R34	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Corr. 1B, H314 STOT SE 3, H335 Aquatic Chronic 3, H412
C9-11 Pareth-8	(CAS No) 68439-46-3 (EC no) Polymer	1 - 5	Xn; R22 Xi; R41	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

Full text of R- and H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : IF INHALED: remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
- First-aid measures after skin contact : IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation or rash occurs: Get medical advice/attention. Discontinue use of product.
- First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
- First-aid measures after ingestion : IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after inhalation : Coughing. sneezing.
- Symptoms/injuries after skin contact : Redness. Swelling. dryness. Itching.
- Symptoms/injuries after eye contact : Pain. Redness. Swelling.
- Symptoms/injuries after ingestion : Oral mucosal or gastro-intestinal irritation. Nausea. Vomiting. Excessive secretion. Diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Refer to section 4.1.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO₂).

5.2. Special hazards arising from the substance or mixture

- Fire hazard : No fire hazard. Non combustible.
- Explosion hazard : Product is not explosive.
- Reactivity : No dangerous reactions known.

5.3. Advice for firefighters

- Firefighting instructions : No specific firefighting instructions required.
- Protection during firefighting : In case of inadequate ventilation wear respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Protective equipment : Wear suitable gloves and eye/face protection.

6.1.2. For emergency responders

- Protective equipment : Wear suitable gloves and eye/face protection.

6.2. Environmental precautions

Consumer products ending up down the drain after use. Prevent soil and water pollution. Prevent spreading in sewers.

6.3. Methods and material for containment and cleaning up

- For containment : Scoop absorbed substance into closing containers.
- Methods for cleaning up : Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Large spills: contain released substance, pump into suitable containers. This material and its container must be disposed of in a safe way, and as per local legislation.

P&G Professional DEEPIO Original

Safety Data Sheet

according to Regulation (EC) No. 453/2010

6.4. Reference to other sections

Refer to Sections 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not eat, drink or smoke when using this product. Do not handle until all safety precautions have been read and understood. Avoid contact with eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Refer to section 10.
Incompatible products : Refer to section 10.
Incompatible materials : Not applicable.
Prohibitions on mixed storage : Not applicable.
Storage area : Store in a cool area. Store in a dry area.

7.3. Specific end use(s)

Refer to section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National limit values

No additional information available

8.1.2. Monitoring procedures: DNELS, PNECS, OEL

Ethanolamine (141-43-5)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	1 mg/kg bodyweight/day
Long-term - local effects, inhalation	3.3 mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	3.75 mg/kg bodyweight/day
Long-term - systemic effects, dermal	0.24 mg/kg bodyweight/day
Long-term - local effects, inhalation	2 mg/m ³
PNEC (Water)	
PNEC aqua (freshwater)	0.085 mg/l
PNEC aqua (marine water)	0.0085 mg/l
PNEC aqua (intermittent, freshwater)	0.028 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	0.434 mg/kg dwt
PNEC sediment (marine water)	0.0434 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.0367 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	100 mg/l

Propylene Glycol Butyl Ether (5131-66-8)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	44 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	270.5 mg/m ³
DNEL/DMEL (General population)	
Acute - local effects, dermal	50 % in mixture
Long-term - systemic effects, oral	8.75 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	33.8 mg/m ³
Long-term - systemic effects, dermal	16 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0.525 mg/l
PNEC aqua (marine water)	0.0525 mg/l
PNEC aqua (intermittent, freshwater)	5.25 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	2.36 mg/kg dwt
PNEC sediment (marine water)	0.236 mg/kg dwt
PNEC (Soil)	

P&G Professional DEEPIO Original

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Propylene Glycol Butyl Ether (5131-66-8)	
PNEC soil	0.16 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	10 mg/l

8.2. Exposure controls

- 8.2.1. Appropriate engineering controls : No additional information available
- 8.2.2. Personal protective equipment
- Eye protection : Wear eye/face protection.
 - Skin and body protection : Not applicable.
 - Respiratory protection : Not applicable.
 - Thermal hazard protection : Not applicable.
- 8.2.3. Environmental exposure controls
Not available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Property	Value	Unit	Test method/Notes
Appearance	Liquid.		
Physical state	Liquid		
Colour	Clear.		
Odour	pleasant (perfume).		
Odour threshold	No data available		
pH	11		
Melting point	No data available		
Freezing point	No data available		
Boiling point	No data available		
Flash point	52	°C	
Relative evaporation rate (butylacetate=1)	No data available		
Flammability (solid, gas)	No data available		
Explosive limits	No data available		
Vapour pressure	No data available		
Relative density	No data available		
Solubility	Soluble in water.		
Log Pow	No data available		
Auto-ignition temperature	No data available		
Decomposition temperature	No data available		
Viscosity	5	cP	
Explosive properties	No additional information available		
Oxidising properties	No additional information available		

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

P&G Professional DEEPIO Original

Safety Data Sheet

according to Regulation (EC) No. 453/2010

10.4. Conditions to avoid

Not required for normal conditions of use.

10.5. Incompatible materials

Not applicable.

10.6. Hazardous decomposition products

None under normal use.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

P&G Professional DEEPIO Original	
LD50 oral calculated	> 2000 mg/kg

Ethanolamine (141-43-5)	
LD50 oral rat	1089 mg/kg //OECD 401
ATE CLP (oral)	500 mg/kg bodyweight
ATE CLP (dermal)	1100 mg/kg bodyweight
ATE CLP (dust,mist)	1.500 mg/l/4h

C9-11 Pareth-8 (68439-46-3)	
ATE CLP (oral)	500 mg/kg bodyweight

Propylene Glycol Butyl Ether (5131-66-8)	
LD50 oral rat	3300 mg/kg OECD 401
LD50 dermal rat	2001 mg/kg
LC50 inhalation rat (mg/l)	3.79 mg/l/4h
ATE CLP (oral)	3300 mg/kg bodyweight
ATE CLP (dermal)	2001 mg/kg bodyweight
ATE CLP (vapours)	20.100 mg/l/4h
ATE CLP (dust,mist)	20.100 mg/l/4h

Skin corrosion/irritation : Not classified
pH: 11

Serious eye damage/irritation : Causes serious eye irritation.
pH: 11

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

Potential Adverse human health effects and symptoms : Acute Toxicity: based upon available data of the substances, classification criteria are not met. Carcinogenicity: based upon available data of the substances, classification criteria are not met. Corrosivity: based upon available data of the substances, classification criteria are not met. Toxicity for Reproduction: based upon available data of the substances, classification criteria are not met. Sensitization: based upon available data of the substances, classification criteria are not met. Repeated Dose Toxicity: based upon available data of the substances, classification criteria are not met. Mutagenicity: based upon available data of the substances, classification criteria are not met. Irritation: based upon available preparation data and bridging principles, classification criteria are not met.

Other information : Likely routes of exposure: skin and eye. Information on Effects: refer to section 4.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : No known adverse effects on the functioning of water treatment plants under normal use conditions as recommended. The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Ethanolamine (141-43-5)	
LC50 fishes 1	349 mg/l EC 440/2008 C.1; Cyprinus carpio
LC50 other aquatic organisms 1	110 mg/l DIN 38412; Pseudomonas putida

P&G Professional DEEPIO Original

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Ethanolamine (141-43-5)	
EC50 Daphnia 1	65 mg/l EC 440/2008 C.2; Daphnia magna
ErC50 (algae)	2.8 mg/l OECD 201; Pseudokirchneriella subcapitata
NOEC (chronic)	> 1000 mg/l OECD 209
NOEC chronic fish	1.24 mg/l OECD 210; Oryzias latipes

Propylene Glycol Butyl Ether (5131-66-8)	
LC50 fishes 1	> 560 mg/l OECD 203; Poecilia reticulata
LC50 other aquatic organisms 1	> 1000 mg/l OECD 209
EC50 Daphnia 1	> 1000 mg/l OECD 202; Daphnia magna
ErC50 (algae)	> 1000 mg/l OECD 201; Pseudokirchneriella subcapitata
NOEC chronic algae	560 mg/l OECD 201; Pseudokirchneriella subcapitata

12.2. Persistence and degradability

Ethanolamine (141-43-5)	
Persistence and degradability	Biodegradable.
BOD (% of ThOD)	> 90 % ThOD OECD 301 A

Propylene Glycol Butyl Ether (5131-66-8)	
Persistence and degradability	Biodegradable.
Biodegradation	90 % OECD 301 E

12.3. Bioaccumulative potential

Ethanolamine (141-43-5)	
Log Pow	-2.3 OECD 107; 25 °C; pH: 6.8-7.3
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4).

Propylene Glycol Butyl Ether (5131-66-8)	
Log Pow	1.2 OECD 117; 20 °C
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4).

12.4. Mobility in soil

Ethanolamine (141-43-5)	
Log Koc	1.167

12.5. Results of PBT and vPvB assessment

P&G Professional DEEPIO Original	
Results of PBT assessment	No presence of PBT and vPvB ingredients
Component	
Alcohol (64-17-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Ethanolamine (141-43-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Propylene Glycol Butyl Ether (5131-66-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

Other information : No other effects known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

- 13.1.1. Regional legislation (waste) : Disposal must be done according to official regulations.
- 13.1.2. Disposal recommendations : The waste codes/waste designations below are in accordance with EWC. Waste must be delivered to an approved waste disposal company. The waste is to be kept separate from other types of waste until its disposal. Do not throw waste product into the sewer. Where possible recycling is preferred to disposal or incineration.
. For handling waste, see measures described in section 7. Empty, uncleaned packaging need the same disposal considerations as filled packaging.
- 13.1.3. EURAL Waste code product : 20 01 29* - detergents containing dangerous substances
15 01 10* - packaging containing residues of or contaminated by dangerous substances

P&G Professional DEEPIO Original

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 14: Transport information

14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

Ingredient label : <5% Non-ionic surfactants.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Contains no substance on the REACH candidate list

CESIO recommendations : The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

16.1. Indication of changes

Indication of changes : Not applicable

16.2. Abbreviations and acronyms

No additional information available

16.3. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

Classification according to Regulation (EC) No. 1272/2008 [CLP]	classification procedure
Eye Irrit. 2	On basis of test data

16.4. Relevant R-phrases and/or H-statements (number and full text) for mixture and substances

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation

P&G Professional DEEPIO Original

Safety Data Sheet

according to Regulation (EC) No. 453/2010

H332	Harmful if inhaled
H335	May cause respiratory irritation
H412	Harmful to aquatic life with long lasting effects
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed
R22	Harmful if swallowed
R34	Causes burns
R36/38	Irritating to eyes and skin
R41	Risk of serious damage to eyes
C	Corrosive
Xi	Irritant
Xn	Harmful

16.5. Training advice

Normal use of this product shall imply use in accordance with the instructions on the packaging.

16.6. Further information

Salts listed in Section 3 without a REACh Registration number are exempt, based on Annex V

SDS P&G CLP

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product