SAFETY DATA SHEET



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

Mikro Chlor

Version: 3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : Mikro Chlor Product code : 114786E

Product use : Surface Disinfectant

Product is for professional use only

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Surface disinfectant. Manual process

Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Manufacturer/ Distributor/ : Ecolab Ltd.

Importer David Murray John Building

UK-SN1 1NH Swindon, Wiltshire

England

Tel +44 (0)1793 511221 Fax +44 (0)1793 618552 CCS@ecolab.com

1.4 Emergency telephone number

National advisory body/Poison Centre

Telephone number: 0870 600 6266 (This service is only available to health professionals)

Manufacturer/ Distributor/ Importer

Telephone number : 01793 511221

Food & Beverage, Institutional, Agri - 01793 548888

Healthcare Leeds - 0113 2322480 Healthcare Swansea - 01252 717616

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Skin Corr. 1B, H314 Aquatic Chronic 2, H411

Classification according to Directive 1999/45/EC [DPD]

The product is classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification : Xi; R41, R38

R31

N; R51/53

Human health hazards: Risk of serious damage to eyes. Irritating to skin. Contact with acids liberates toxic

gas.

Environmental hazards: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

See Section 16 for the full text of the R phrases or H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

Date of issue/Date of revision : 17 December 2013

SECTION 2: Hazards identification

2.2 Label elements

Hazard pictograms





Signal word : Danger

Contains : Sodium metasilicate

Hazard statements : H314 Causes severe skin burns and eye damage.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention: P260 - Do not breathe dust.

P273 - Avoid release to the environment.

P280 - Wear protective gloves and eye/face protection.

Response : P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water or shower.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor/physician.

Supplemental label

elements

: EUH031 - Contact with acids liberates toxic gas.

2.3 Other hazards

Other hazards which do not result in classification

: Handling and/or processing of this material may generate a dust which can cause

mechanical irritation of the eyes, skin, nose and throat.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

| | | | Cla | assification | |
|-----------------------------------|---|--------------|---|--|------|
| Product/ingredient name | Identifiers | % | 67/548/EEC | Regulation (EC) No. 1272/2008 [CLP] | Туре |
| Sodium Carbonate (soda) | REACH #: 01-2119485498-19 EC: 207-838-8 CAS: 497-19-8 Index: 011-005-00-2 | 10 - <20 | Xi; R36 | Eye Irrit. 2, H319 | [1] |
| Troclosene sodium, dihydrate | REACH #: 01-2119489371-33 EC: 220-767-7 CAS: 51580-86-0 Index: 613-030-00-X | 2.5 - <10 | E; R2 O; R8 Xn; R22 Xi; R36/37 R31 N; R50/53 | Ox. Sol. 2, H272 Acute Tox. 4, H302 Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 | [1] |
| Sodium metasilicate | REACH #: 01-2119449811-37 EC: 229-912-9 CAS: 6834-92-0 Index: 014-010-00-8 | 5 - <7 | Xn; R22 C; R34 Xi; R37 | Acute Tox. 4, H302 Skin Corr. 1B, H314 STOT SE 3, H335 | [1] |
| Linear Alkylbenzenesulphonates | EC: 246-680-4 CAS: 25155-30-0 | 3 - <5 | Xn; R22 Xi; R41, R37/38 | Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 | [1] |
| Fattyalcohol | _ | 1 - <3 | Xn; R22 | Acute Tox. 4, H302 | [1] |

Date of issue/Date of revision: 17 December 2013

2/14

| SECTION 3: Composition/information on ingredients | | | |
|---|---|--|--|
| ethoxylates > 5EO | Xi; R41 | Eye Dam. 1, H318 | |
| | See Section 16 for the full text of the R- phrases declared above. | See Section 16 for the full text of the H statements declared above. | |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 15 minutes. Chemical burns must be treated promptly by a physician. Get medical

attention immediately. Call a poison center or physician.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. Get medical attention

immediately. Call a poison center or physician.

Skin contact : Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Continue to rinse for at least 15 minutes. Chemical burns must be treated promptly by a physician. Wash contaminated clothing before reusing. Clean shoes thoroughly before reuse. Get medical attention immediately. Call a poison center or

physician.

: Wash out mouth with water. Remove dentures if any. If material has been Ingestion

swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention immediately. Call a

poison center or physician.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

Wash contaminated clothing thoroughly with water before removing it, or wear

gloves.

4.2 Most important symptoms and effects, both acute and delayed Potential acute health effects

Date of issue/Date of revision : 17 December 2013 3/14

SECTION 4: First aid measures

Eye contact : Causes serious eye damage.

Inhalation: May give off gas, vapour or dust that is very irritating or corrosive to the respiratory

system. Exposure to decomposition products may cause a health hazard. Serious

effects may be delayed following exposure.

Skin contact: Causes severe burns.

ingestion : Corrosive to the digestive tract. Causes burns. May cause burns to mouth, throat

and stomach.

Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following:

pain watering redness

Inhalation : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact: Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

Ingestion: Adverse symptoms may include the following:

stomach pains

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms may be delayed.

Specific treatments: No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing

media

: In case of fire, use water spray (fog), foam, dry chemical, or CO₂.

Unsuitable extinguishing

media

: None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

: Fine dust clouds may form explosive mixtures with air. This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Hazardous combustion products

: Decomposition products may include the following materials:

carbon dioxide
carbon monoxide
nitrogen oxides
sulfur oxides
phosphorus oxides
halogenated compounds
metal oxide/oxides

5.3 Advice for firefighters

Special precautions for

fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk.

Use water spray to keep fire-exposed containers cool.

Date of issue/Date of revision : 17 December 2013 4/14

SECTION 5: Firefighting measures

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Try to avoid touching or walking through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Do not breathe dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders:

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.

6.3 Methods and materials for containment and cleaning up

Small spill:

: Move containers from spill area. Vacuum or sweep up material and place in a designated, labelled waste container.

Large spill

: Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labelled waste container. Avoid creating dusty conditions and prevent wind dispersal.

6.4 Reference to other sections

: See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe dust. Do not ingest. Avoid release to the environment. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use.

Advice on general occupational hygiene

: Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures.

SECTION 7: Handling and storage

7.2 Conditions for safe storage, including any incompatibilities

: Store between the following temperatures: 0 to 40°C (32 to 104°F). Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)

Recommendations Industrial sector specific solutions Not applicable until Exposure Scenarios for substances become available.Not applicable until Exposure Scenarios for substances become available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

| Product/ingredient name | Exposure limit values |
|--------------------------------|-----------------------|
| No exposure limit value known. | |

Derived effect levels

No DNELs available for the mixture.

Predicted effect concentrations

No PNECs available for the mixture.

8.2 Exposure controls

Appropriate engineering controls

: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection (EN 166)

: Highly recommended : Goggles, face shield, or other full-face protection.

Skin protection

Hand protection (EN 374)

: Highly recommended : Gloves - butyl rubber , nitrile rubber (Breakthrough time: 1 - 4 hours) .

Body protection (EN 14605)

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Date of issue/Date of revision : 17 December 2013 6/14

SECTION 8: Exposure controls/personal protection

Respiratory protection (EN 143, 14387)

: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Thermal hazards

: Not applicable.

Environmental exposure

controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state : Powder Colour : White Odour : chlorine

: Not applicable and/or not determined for the mixture. Odour threshold

: 10.1 to 10.5 [Conc. (% w/w): 1%]

Melting point/freezing point

boiling range

Initial boiling point and

Flash point $: > 100^{\circ}C$

Evaporation rate : Not applicable and/or not determined for the mixture. Flammability (solid, gas) : Not applicable and/or not determined for the mixture. **Burning time** Not applicable and/or not determined for the mixture. **Burning rate** : Not applicable and/or not determined for the mixture.

Upper/lower flammability or

explosive limits

: Not applicable and/or not determined for the mixture.

: Not applicable and/or not determined for the mixture.

: Not applicable and/or not determined for the mixture.

Vapour pressure : Not applicable and/or not determined for the mixture. Vapour density : Not applicable and/or not determined for the mixture.

Relative density : 0.95 to 1.15

Solubility(ies) : Easily soluble in the following materials: cold water and hot water.

Partition coefficient: n-octanol/: Not applicable and/or not determined for the mixture.

Auto-ignition temperature : Not applicable and/or not determined for the mixture.

Decomposition temperature : Not applicable and/or not determined for the mixture. : Not applicable and/or not determined for the mixture. Viscosity

: Not applicable. **Explosive properties**

Oxidising properties : Yes.

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

: No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

: The product is stable.

10.3 Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid

: Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. Prevent dust accumulation.

10.5 Incompatible materials: No specific data.

10.6 Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|------------------------------|---------------------------------|---------|-------------|----------|
| Sodium Carbonate(soda) | LC50 Inhalation Dusts and mists | Rat | 1.15 mg/l | 4 hours |
| | LD50 Dermal | Rabbit | >2000 mg/kg | - |
| | LD50 Oral | Rat | 2800 mg/kg | - |
| Troclosene sodium, dihydrate | LD50 Dermal | Rat | >5000 mg/kg | - |
| | LD50 Oral | Rat | 1823 mg/kg | - |
| Sodium metasilicate | LD50 Oral | Rat | 500 mg/kg | - |
| Linear | LD50 Dermal | Rat | >2000 mg/kg | - |
| Alkylbenzenesulphonates | | | | |
| , | LD50 Oral | Rat | 1086 mg/kg | _ |

Conclusion/Summary

: No known significant effects or critical hazards.

Acute toxicity estimates

Not determined for the mixture.

Irritation/Corrosion

Conclusion/Summary : No known significant effects or critical hazards.

Sensitiser

Conclusion/Summary : No known significant effects or critical hazards.

<u>Mutagenicity</u>

Conclusion/Summary : No known significant effects or critical hazards.

Carcinogenicity

Conclusion/Summary : No known significant effects or critical hazards.

Reproductive toxicity

Conclusion/Summary : No known significant effects or critical hazards.

Teratogenicity

Conclusion/Summary : No known significant effects or critical hazards.

Date of issue/Date of revision : 17 December 2013 8/14

SECTION 11: Toxicological information

Specific target organ toxicity (single exposure)

| Product/ingredient name | Category | Route of exposure | Target organs |
|--------------------------------|------------|-------------------|------------------------------|
| Troclosene sodium, dihydrate | Category 3 | Not applicable. | Respiratory tract irritation |
| Sodium metasilicate | Category 3 | Not applicable. | Respiratory tract irritation |
| Linear Alkylbenzenesulphonates | Category 3 | Not applicable. | Respiratory tract irritation |

Specific target organ toxicity (repeated exposure)

No known significant effects or critical hazards.

Aspiration hazard

No known significant effects or critical hazards.

Information on the likely

: No known significant effects or critical hazards.

routes of exposure

Potential acute health effects

Inhalation : May give off gas, vapour or dust that is very irritating or corrosive to the respiratory

system. Exposure to decomposition products may cause a health hazard. Serious

effects may be delayed following exposure.

Ingestion : Corrosive to the digestive tract. Causes burns. May cause burns to mouth, throat

and stomach.

Skin contact : Causes severe burns.

Eye contact : Causes serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Ingestion : Adverse symptoms may include the following:

stomach pains

Skin contact : Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

Eye contact : Adverse symptoms may include the following:

> pain watering redness

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate

: No known significant effects or critical hazards.

effects

effects

Potential delayed effects: No known significant effects or critical hazards.

Long term exposure

Potential immediate

: No known significant effects or critical hazards.

Potential delayed effects: No known significant effects or critical hazards.

Potential chronic health effects

Conclusion/Summary : No known significant effects or critical hazards.

General : Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.

Date of issue/Date of revision : 17 December 2013 9/14

SECTION 11: Toxicological information

Carcinogenicity
 Mutagenicity
 No known significant effects or critical hazards.
 Teratogenicity
 No known significant effects or critical hazards.
 Developmental effects
 No known significant effects or critical hazards.
 Fertility effects
 No known significant effects or critical hazards.
 Other information
 No known significant effects or critical hazards.

SECTION 12: Ecological information

12.1 Toxicity

| Product/ingredient name | Result | Species | Exposure |
|--|--|--------------|----------------------|
| Sodium Carbonate(soda) | Acute EC50 200 mg/l | Daphnia | 48 hours |
| Troclosene sodium, dihydrate | Acute EC50 0.196 mg/l | Daphnia | 48 hours |
| Sodium metasilicate Linear Alkylbenzenesulphonates | Acute LC50 210 mg/l Acute LC50 3.2 mg/l | Fish Fish | 96 hours 96 hours |

Conclusion/Summary: No known significant effects or critical hazards.

12.2 Persistence and degradability

Conclusion/Summary: The surfactants contained in the product are biodegradable according to the

requirements of the detergent regulation 648/2004/EC

12.3 Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|-------------------------|--------|-----|-----------|
| Linear | 1.96 | - | low |
| Alkylbenzenesulphonates | | | |

12.4 Mobility in soil

Soil/water partition coefficient (Koc)

: Not determined for the mixture.

Mobility : Not determined for the mixture.

12.5 Results of PBT and vPvB assessment

PBT : Not applicable. vPvB : Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Date of issue/Date of revision : 17 December 2013 10/14

SECTION 13: Disposal considerations

Methods of disposal

The generation of waste should be avoided or minimised wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any byproducts should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Hazardous waste European waste catalogue (EWC)

| Waste code | Waste designation |
|------------|-------------------|
| 20 01 15* | alkalines |

Packaging

Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Waste

packaging should be recycled.

Special precautions

: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

| | ADR/RID | ADN/ADNR | IMDG | IATA |
|------------------------------------|--|--|---|---|
| 14.1 UN number | UN3262 | UN3262 | UN3262 | UN3262 |
| 14.2 UN proper shipping name | CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (Sodium metasilicate, Troclosene sodium, dihydrate) | CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (Sodium metasilicate, Troclosene sodium, dihydrate) | CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (Sodium metasilicate, Troclosene sodium, dihydrate). Marine pollutant | Corrosive solid, basic, inorganic, n.o.s. (Sodium metasilicate, Troclosene sodium, dihydrate) |
| 14.3 Transport hazard class(es) | 8 | 8 | 8 | 8 |
| 14.4 Packing group | III | III | III | III |
| 14.5 Environmental hazards | Yes. | Yes. | Yes. | Yes. |
| 14.6 Special precautions for user | None. | None. | None. | None. |

Date of issue/Date of revision : 17 December 2013 11/14

SECTION 14: Transport information

14.7 Transport in bulk

: Not applicable.

according to Annex II of MARPOL 73/78 and the IBC

Code

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions : Not applicable.

on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

National regulations

Other EU regulations

United Kingdom (UK)

The Chemicals (Hazard Information and Packaging for Supply) Regulations.

The Control of Substances Hazardous to Health Regulations.

Health and Safety at Work Act.

15.2 Chemical Safety **Assessment**

: This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms

: ADN = European Provisions concerning the International Carriage of Dangerous

Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of

Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008]

DNEL = Derived No Effect Level

DPD = Dangerous Preparations Directive [1999/45/EC]

EC = European Commission

EUH statement = CLP-specific Hazard statement IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OEL = Occupational Exposure Limit

PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

Regulation [Regulation (EC) No. 1907/2006]

Date of issue/Date of revision : 17 December 2013

SECTION 16: Other information

RID = The Regulations concerning the International Carriage of Dangerous Goods

REACH # = REACH Registration Number

vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 ICLP/GHS1

| Classification | | Justification | |
|--|---|---|--|
| Skin Corr. 1B, H314 Aquatic Chronic 2, H411 | | Expert judgment Expert judgment | |
| Full text of abbreviated H statements | : H272 H302 H314 H315 H318 H319 H335 H400 H410 | May intensify fire; oxidiser. Harmful if swallowed. Causes severe skin burns and eye damage. Causes skin irritation. Causes serious eye damage. Causes serious eye irritation. May cause respiratory irritation. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. | |
| Full text of classifications [CLP/GHS] | : Acute Tox. 4, H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Aquatic Chronic 2, H411 Eye Dam. 1, H318 Eye Irrit. 2, H319 Ox. Sol. 2, H272 Skin Corr. 1B, H314 Skin Irrit. 2, H315 STOT SE 3, H335 | ` , | |
| Full text of abbreviated R phrases | R8- Contact with combus R22- Harmful if swallows R34- Causes burns. R41- Risk of serious dan R36- Irritating to eyes. R37- Irritating to respirat R38- Irritating to skin. R36/37- Irritating to eyes R37/38- Irritating to resp R31- Contact with acids R50/53- Very toxic to aquithe aquatic environment. | nage to eyes. ory system. and respiratory system. iratory system and skin. liberates toxic gas. uatic organisms, may cause long-term adverse effects in | |
| Full text of classifications [DSD/DPD] | E - Explosive O - Oxidising C - Corrosive Xn - Harmful Xi - Irritant N - Dangerous for the er | nvironment | |
| Date of printing | : 17 December 2013 | | |
| Date of issue/ Date of revision | : 17 December 2013 | | |
| Date of previous issue | : 3 October 2011 | | |
| Version | : 3 | | |

Date of issue/Date of revision : 17 December 2013 13/14 Mikro Chlor

SECTION 16: Other information

Notice to reader

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.

Date of issue/Date of revision : 17 December 2013