



Numatic INTERNATIONAL



HVR 200A
HET 200A
HHR 200A



Original Instructions


Warning! read instructions before using the machine

**Technical
Specifications**



Numatic International Ltd, Chard, Somerset, TA20 2GB, UK
Telephone: +44 (0) 1460 68600 Fax: +44 (0) 1460 68458
www.numatic.co.uk © Numatic International Limited.

Rating label



Safety Critical Components

Mains lead

HO5V2V2 x 10m x 2 x 0.75mm²
10m x 2 x 1.00mm²

Filter Bag

NVM-1CH >pp< construction 99.6%@0.3µm

Filter

Tritex NVM 604165 >pp< construction 96.0%@0.3µm
Microtex NVM 604311 >pp< construction 99.6%@0.3µm
Microfresh NVM 604170 >pp< construction 98.4%@0.3µm

WEEE Legislation (Waste, Electrical and Electronic Equipment).



Vacuum cleaner, accessories and packaging should be sorted for environmental-friendly recycling.
Only for EU countries:
Do not dispose of Vacuum cleaner into household waste!
According to the European Directive 2002/96/EC on waste electrical and electronic equipment and its incorporation into national law.
Vacuum cleaners that are no longer suitable for use must be separately collected and sent for recovery in an environmental-friendly manner.

PPE

(person protective equipment)
that may be required for certain operations.



Ear Protection



Safety Footwear



Head Protection



Safety Gloves



Dust / Allergens Protection



Eye Protection




Protective Clothing



Caution Floorsign

NOTE:

A risk assessment should be conducted to determine which PPE should be worn.

Data	Motor	Airflow	Suction
	1200W 600W	42 l/sec	2500mm 1500mm
	Capacity	Cleaning Range	Weight
200	9L	26.8 m	6.9Kg
	Size	Sound Pressure	Protection Class
	340x340x370 mm	67.1 dB - 63.9 dB (A) (IEC 60704-2-1) Uncertainty 0.2 dB	Class II

Information for DRY USE Vacuum Cleaners

WARNING:

Read the instruction manual before using the machine.

Operators shall be adequately instructed on the use of this machine.

As with all electrical equipment, care and attention must be exercised at all times during use, in addition to ensuring that routine and preventative maintenance is carried out periodically to ensure safe operation.

Failure to carry out maintenance as necessary, including the replacement of parts to the correct standard could render this equipment unsafe and the manufacturer can accept no responsibility in this respect. Maintenance should only be carried out by a qualified person.

This machine is for DRY USE only and must not be stored outside or used in wet conditions.

The machine shall be disconnected from the mains by removing the plug from the supply socket during cleaning or maintenance and when replacing parts or converting the machine to another function.

The machine is not to be used by children or persons with reduced physical, sensory or mental capabilities, or lack of experience or knowledge, unless they have been given supervision or instruction.

This appliance is intended to be cleaned and maintained by an adult.

Children being supervised are not to play with the machine.

This machine is not a toy.

CAUTION:

This machine is not suitable for picking up hazardous or explosive dust. Contact your local distributor if you require a machine capable of performing these tasks.

Ensure that the filtration system fitted to the machine is suitable for the material being collected.

This vacuum cleaner is intended for indoor use in the collection of dry materials.

This machine should be stored indoors only.

NOTE:

This machine is also suitable for commercial dry use, for example in hotels, schools, hospitals, factories, shops and offices for other than normal housekeeping purposes.

This product complies with the requirements of clause 20 of EN 60335-2.69 Stability and Mechanical Hazards.

This vacuum cleaner is fitted with a thermal protection device. If the vacuum cleaner stops working, remove the plug from the wall before investigating where the fault lies.

If the vacuum cleaner has a blockage, switch off, remove the plug from the wall, inspect the floor tool, tubes and hose for debris. If the floor tool, tubes and hose are clear, replace the dust bag and clean the filter.

The vacuum cleaner should be inspected after use for damage.

Not suitable for the collection of biological hazards, hazardous, or explosive dusts .

The vacuum cleaner should be stored in a dry place.


DO:

- The mains lead should be fully unwound before use.
- Keep your machine clean including hoses and tubes.
- Change dust bag frequently.
- Keep filters clean.
- Keep diffuser filter (where fitted) clean.
- Use filter bags, they will enhance performance and help keep machine clean.
- Use a Numatic Original filter bag under fine dust conditions.
- Keep hoses and tubes clear.
- Replace any worn or damaged parts immediately.
- Only use the socket outlet on the machine for purposes specified in the instructions.
- Only use the brushes provided with the machine. The use of other brushes may impair safety.
- Regularly examine the power cord. If damage is found such as cracking or ageing the power cord must be replaced by a qualified person.
- Only replace the power cord with the correct Numatic approved replacement part.

DON'T:

- Unreel the cable with one pull or pull on the cable to unplug the machine from the power supply.
 - Use to suck up hot ashes or lighted cigarette ends.
 - Use steam cleaners or pressure washers to clean the machine or use in the rain.
 - Immerse in water for cleaning.
 - Attempt machine maintenance or cleaning unless the power supply plug has been removed from the supply outlet.
- Do not use in wet environments or to collect wet materials.

Schematic Diagram



HVR 200A / HET 200A / HHR 200A

WD-0368



EU DECLARATION OF CONFORMITY

We hereby declare that the following equipment fulfils all the relevant provisions of:

Machinery Directive 2006/42/EC

EMC Directive 2004/108/EC

Low Voltage Directive 2006/95/EC

Machine Description: Vacuum Cleaner

Type: HVR, HET, HVX, NRV, NVR, EVR, VNR, NSR, HMR, HHR series

Manufactured by: Numatic International Limited

This equipment has been designed and manufactured in accordance with the following harmonised European standards:

IEC60335-2-69:2002 +A1:2004 +A2:2006

IEC60335-1:2001 +A1:2004 +A2:2006

IEC60335-2-2:2002 +A1:2004 +A2:2006

EN 55014-1:2006

EN 55014-2 1997 +A2 2008

EN 50366 2003

A technical construction file for this equipment is retained at the manufacturer's address.

Signed:

Date: 11 /05/2010

Name: Allyn Boyes

Position: Technical Manager

GB

Numatic International Limited,
Chard , Somerset.
TA20 2GB

www.numatic.co.uk

Numatic International Warranty

Numatic International Limited warrant to the original purchaser that its products are free of defects in both material or workmanship for the period shown below:-

Homecare and Cleancare Vacuum cleaners.....	2 Years
Rotary Floor Machines.....	2 Years
Twintec Auto Scrubber Dryer.....	1 Year
Vario Ride-On Scrubber Dryer.....	1 Year / 1500 hours
Mopping, Compacts, Combi and Servocare Products.....	1 Year
Individual Accessories and Spare Parts.....	6 Months


Note: This warranty expressly excludes consumable parts such as carbon brushes, floor brushes, mops, batteries etc, that are considered replaceable from time to time during the normal working life of the machine.

- A. The warranty period commences from the date the goods are purchased.
- B. All warranty claims must be processed through the Dealer from whom the equipment was purchased. The Dealer will co-operate with the purchaser throughout the warranty claims procedure and will arrange any necessary repairs using genuine Numatic parts.
- C. If the original Dealer is no longer able to fulfil his obligations please contact Numatic International Limited with full details of the claim and proof of purchase so that this may be processed without delay.
- D. Any warranty claim can only relate to the specific part that is proven to be at fault and for which a replacement will be supplied but cannot be extended to constitute a claim against the complete machine.
- E. Numatic International will supply the Dealer with any warranty parts required, subject to the claim being validated, after return of the faulty items in accordance with Numatic International Limited's General Conditions of Sale.
- F. Claims will not be accepted if they are the result of fair wear and tear, misuse or abuse of any kind.
- G. No replacement will be given unless the appropriate evidence of the validity of the claim has been provided to the satisfaction of Numatic International Limited.
- H. Numatic International Limited reserve the right to charge for any unnecessary work carried out as a result of an invalid claim.
- I. No variation to this warranty may be made or implied by any member of Numatic International Limited or its Dealers unless such variation is in writing and authorised by the Company



Numatic International Limited, Chard, Somerset, TA20 2GB
Telephone: 01460 68600 Fax: 01460 68458
© Numatic International Limited

Henry / Hetty KIT (A1) 607301



Reorder- HepaFlo Dust Bags 604015 - Pack of 10



HVR 200A / HET 200A / HHR 200A		
		
583155 Henry Autosave Head	583156 Hetty AutoSave Head	588989 Harry Hound Autosave head
		
500492 Henry Drum	500897 Hetty Drum	500968 HHR Drum
227640 Rear Wheel 227868 Wheel Hub 219105 Fixing Screw		227687 Red Trim 229798 Pink Trim 229689 Green Trim
		
204000 Front Castor	604165 HVR / HET Tritex Filter	604170 HHR Microfresh Filter

80% recycled paper

Subject to change without prior notice.

Page 8

www.numatic.com
© Numatic International Limited 233787 0811 (A05)